Page: 1 of 7 Version: 2.0

Revision Date: 2015/07/01

#### SECTION 1: IDENTIFICATION OF THE SUPPLIER AND SUBSTANCE

MANUFACTURER: Shanghai King Chemical Co,.Ltd

ADDRESS: ROOM CDEF, 9th Floor, Building D, Weijing Center Tower,

NO.2337 GuDai Road, Minhang District, Shanghai, China 201199

Emergency Telephone: +86-21-67817854

Market Service: +86-21-67817854

Technical Service: +86-21-67817854

Fax: +86-21-67817855

Identifier used on label: KC-9266A

General description: Silicon acrylic copolymer

Physical Form: Liquid

Color: Milky white & bluish

Odor: Acrylic odor
CAS #: Mixture

### **SECTION 2: HAZARDS IDENTIFICATION**

Classification of the product: No need for classification for this product in accordance with General

rule for classification and hazard communication of chemicals

(GB13690-2009)

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

This product is chemical mixture and does not contain any substances presenting a health or environmental hazard.

CHEMICAL NAME	<b>CAS NUMBER</b>	<b>CONCENTRATION %</b>
Acrylic ester copolymer	1	45-47%
H <sub>2</sub> O	7732-18-5	53-55%
C12-18-Alkyl alcohol ethoxylate sulfuric acid sodium salt	68081-91-4	1.0-2.0%
5-Chloro-2-methyl-3(2H)-isothiazolone	26172-55-4	≤22.5ppm
mixt.with 2-methyl-3(2H)-isothiazolone	2682-20-4	≤7.5ppm

Page: 2 of 7 Version: 2.0

Revision Date: 2015/07/01

#### **SECTION 4: FIRST-AID MEASURES**

**Inhalation:** Move into fresh air.

Skin contact: Wash affected areas thoroughly with soap and water. If skin irritation

persists, seek medical attention.

Eye contact: Rinse with plenty of water for at least 15 minutes. If eye irritation

persists, seek medical attention.

Ingestion: Flush at once and then drink copious amounts of water, seek medical

attention if necessary. Do not give anything by mouth to an unconscious

victim.

### **SECTION 5: FIRE-FIGHTING MEASURES**

Suitable media: Use extinguishing media appropriate for surrounding fire

Special hazard arising during

fire fighting:

When temperature is above 100°C/212°F, material will splatter and

may burn after it is dried.

Advice for fire-fighters: Wear self-contained breathing apparatus and protective clothing

Page: 3 of 7 Version: 2.0

Revision Date: 2015/07/01

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions: Personal protective equipment should be used. People should be kept

away from or upwind of spill/leak. In addition, material may create

slippery condition.

**Environmental precautions:** Do not allow the spills and waste to reach sewage or effluent systems

For small amount: pick up with suitable absorbent material (e.g. sand, soil)

For large amount: Pump off product.

**Methods for cleaning up:** Spill should be transfer to suitable container for recovery or disposal.

Dispose of material in accordance with local regulations.

### **SECTION 7: HANDLING AND STORAGE**

Handling: Avoid contact with eyes. Skin and clothing. Wash thoroughly after

handling. Keep container tightly closed. Do not breathe vapor, mist or

gas.

Storage temperature: 10°C-35°C

Further information: Store away from freezing as product stability may be affected. Please

stir well before use.

Other data: Monomer vapors can be evolved when material is heated during

processing operations and several types of ventilation are required

(see section 8).

Page: 4 of 7 Version: 2.0

Revision Date: 2015/07/01

#### SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Eye protection: Safety glasses with side-shields. Eye protection worn must be

compatible with respiratory protection system employed.

**Hand protection:** The gloves listed below may provided protection against permeation:

Neoprene gloves (Gloves of other chemically resistant materials may

not provide adequate protection).

Respiratory protection: Use certified respiratory protection equipment, when respiratory risks

cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work

organization.

**Engineering measures:** 

Use only in area provided with appropriate exhaust ventilation.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Physical state:	Liquid	Color:	Milky white & bluish
Odor:	Acrylic odor	PH:	8±1
Boiling point: (water)	100℃	Flash point:	Noncombustible
Lower explosion limit:	Not applicable	Upper explosion limit:	Not applicable
Vapor pressure: (water)	<b>17mmHg 20</b> ℃	Relative vapor density:	<1.00 (water)
Water solubility:	Dilatable	Particle Diameter:	0.1-0.2µm
Viscosity, dynamic:	1000-7000cps	<b>Evaporation rate:</b>	< 1.00 (air=1)
Percent volatility:	55±1%	Latex style:	Anionic
MFFT:	20℃		
Relative density	Wet: 1.0-1.1		
proportion:	Dry: 1.1-1.2		

NOTE: The physical data presented above are typical values and should not be construed as a specification.

Page: 5 of 7 Version: 2.0

Revision Date: 2015/07/01

#### **SECTION 10: STABILITY AND REACTIVITY**

**Hazardous reactions:** No hazardous reactions have been reported.

Materials to avoid: There are no known materials that are incompatible with this product.

Polymerization: Product will not undergo polymerization

**Decomposer:** Acrylic monomer can produced by thermal decomposition

### **SECTION 11: TOXICOLOGICAL INFORMATION**

No data are available for this material. This information shown is based on profiles of compositionally similar materials.

Acute oral intoxication: half lethal does (LD50)>5,000 mg/kg (rat)

Acute skin toxicity: half lethal does (LD50)>5,000 mg/kg (rabbit)

**Skin irritation:** may lead to short-term irritation (rabbit)

Eyes irritation: nonirritating (rabbit)

**Respiratory intoxication:** half lethal does (LD50)>21 mg/l (rat)

#### **SECTION 12: ECOLOGICAL INFORMATION**

No data is available for this product.

Page: 6 of 7 Version: 2.0

Revision Date: 2015/07/01

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Environmental precautions: Keep spills and cleaning waste out of sewage, surface waters or

effluent systems.

Disposal: Coagulate the emulsion by stepwise addition of ferric chloride and

lime. Remove the clear supernatant and flush to a chemical sewer. For disposal, incinerate or landfill at a permitted facility in accordance with

local regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

**Road and Rail transport:** Not regulated (not dangerous for transport)

**Sea transport:** Not regulated (not dangerous for transport)

Air transport: Not regulated (not dangerous for transport)

Notice: Transportation classifications may vary by container volume and may

be influenced by regional or country variations in regulations.

Page: 7 of 7 Version: 2.0

Revision Date: 2015/07/01

### **SECTION 15: REGULATORY INFORMATION**

General rule for classification and hazard communication of chemicals (GB 13690-2009)

Classification has been performed according to regulations.

General rules for precautionary label for industrial chemicals (GB 15258-2009) Label has been performed according to regulation

Inventory of Existing Chemical Substances in China (IECSC)

All intentional components are listed on the inventory, are exempt, or are supplier certified.

**Toxic Substances Control Act** (TSCA)

All components of this product are in compliance with the inventory listing requirements of the Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

### **SECTION 16: OTHER INFORMATION**

Reference: Safety data sheet for chemical products—Content and order of

sections (GB 16483-2008)

Notice: The information provided in this Safety Data Sheet in accordance

with the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal

and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.